



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

EDMC

3100 Port of Benton Blvd • Richland, WA 99352 • (509) 372-7950

April 21, 2006

Mr. Roy J. Schepens, Manager Office of River Protection United States Department of Energy P.O. Box 450, MSIN: H6-60 Richland, Washington 99352 Mr. Jim Henschel, Project Manager Bechtel National, Inc. 2435 Stevens Center Place, MSIN: H4-02 Richland, Washington 99354

Re: Class 1 Modification to the Hanford Facility Resource Conservation and Recovery Act (RCRA) Permit, Dangerous Waste Portion for the Treatment, Storage, and Disposal of Dangerous Waste, Part III, Chapter 10 (Waste Treatment and Immobilization Plant) WA7890008967; Hanford Facility RCRA Permit Modification Notification Form 24590-PTF-PCN-ENV-05-039

Dear Mr. Schepens and Mr. Henschel:

The Department of Ecology approves the referenced Class 1 Modification submitted by the United States Department of Energy – Office of River Protection. The approved Hanford Facility RCRA Permit Modification Notification Form is enclosed.

Modification 24590-PTF-PCN-ENV-05-039 provides the following updated (Revision 1) Pretreatment Plant Item Material Selection Data Sheets:

- 24590-PTF-N1D-CXP-P0001 for the Cesium Ion Exchange Feed Vessel, CXP-VSL-00001
- 24590-PTF-N1D-CXP-P0007 for the Cesium Ion Exchange Rinse Collection Vessel, CXP-VSL-00004
- 24590-PTF-N1D-CXP-P0008 for the Cesium Ion Exchange Reagent Vessel, CXP-VSL-00005

If there are any questions, contact me at (509) 372-7882 or Robbie Biyani at (509) 372-7884.

Sincerely,

Brenda Becker-Khaleel WTP Lead Permit Writer Nuclear Waste Program

Sundad Suh Moles

AH:jc Enclosure

cc: See next page

Mr. Schepens and Mr. Henschel April 21, 2006 Page 2

cc/elect w/enc:

Robert Barr, USDOE
John Eschenberg, USDOE
Joel Hebdon, USDOE
Lori Huffman, USDOE
Tony McKarns, USDOE
Gae Neath, USDOE
Woody Russell, USDOE
Don Sommer, USDOE
Julie Atwood, BNI
Bill Elkins, BNI
Brad Erlandson, BNI
Stan Hill, BNI
Dennis Klein, BNI
Ermelinda Sauceda, BNI
Phil Peistrup, WGI

cc w/enc:

Administrative Record: Tank Waste Treatment Requirements Environmental Portal USDOE-ORP Correspondence Control

H	anford Facility RCRA Permit Modif	ication I	Votific	ation Form	<u></u>	
Unit:			Permit Part & Chapter:			
Waste Treatment and Immobilization Plant			Part III, Chapter 10 and Attachment 51			
Description	of Modification:					
Exchange Fe CXP-VSL-00	of this modification is to update PTF Plant Ite ed Vessel, CXP-VSL-00001, Cs IX Rinse Co 005 in Appendix 8.9 of the Dangerous Waste	llection Ve Permit (D'	ssel, CX WP) to i	(P-VSL-00004, ancorporate the f	and Cs IX Rea ollowing revision	gent Vessel, ons:
, .	cifically call out the erosion allowance that ete references	at is inclu	ded wit	hin the approv	red corrosion	allowance
- -						
health or the	ges do not alter the permit conditions or environment. The the following MSDSs in the DWP:	reduce th	e capa	city of the facil	ity to protect	human
Appendix	8 9					
Replace:	24590-PTF-N1D-CXP-P0001, Rev. 0	With:	24590-	PTF-N1D-CXP-	P0001, Rev. 1	
Replace:	24590-PTF-N1D-CXP-P0007, Rev. 0	With:		PTF-N1D-CXP-		
Replace:	24590-PTF-N1D-CXP-P0008, Rev. 0	With:		PTF-N1D-CXP-		
WAC 173-30	03-830 Modification Class: 12	Clas	s 1	Class 1	Class 2	Class 3
	the Modification Class:	Х	———			
Enter Relevant Enter wording In accordance and approve apply to min These chang	of WAC 173-303-830, Appendix I Modification of WAC 173-303-830, Appendix I Modification with WAC 173-303-830(4)(d)(i), this d as a Class I modification. WAC 173-300 changes that keep the permit current was do not substantially alter the permit could be or the environment. In the case of Classes	modifications and the control of the	ion not l)(d)(ii) ne chan or redu	(A) states, "Cl ges to the faci ce the capacity	lass 1 modific lity or its ope y of the facili	cations cration. ty to protect
Modification Reason for c	in in the second	eason for	denial)	Revi Muln U	ewed by Eco	logy: 4/21/06

Class 1 modifications requiring prior Agency approval.

This is only an advanced notification of an intended Class 11, 2, or 3 modification, this should be followed with a formal modification request, and consequently implement the required Public Involvement processes when required.